



British Standard Paving



Flags

RPC Ltd produce BS Flags, to suit every requirement for pavements both commercial and domestic applications.

Our hydraulically-pressed pre-cast concrete units are strong and durable and manufactured to strict tolerances BS EN1339:2003 Precast Concrete Flag.

Standard Flag have a pimpled finish and come in various colours: Natural, Buff, Charcoal, Red.

RPC Ltd manufacture the following BS Flag in both square edge and chamfered (see table for plan sizes and thickness).


Tactile

The Tactile Paving range is specifically designed to meet The Department of the Environment, Transport and the Regions 'Guidance on the Use of Tactile Paving Surfaces'.

- Ideal for Traffic free zones with high volume pedestrian areas.
- Hard wearing under typical pedestrian usage.
- Available in three colours - Grey, Buff and Red.
- Designed to assist visually impaired pedestrians.
- The tactile design indicates hazard and safe travel areas.
- Tactile paving is hydraulically pressed in special moulds incorporating pre-formed profiles.

All RPC's British Standard products are  certified and BS EN 1339:2003 Compliant

Colours & Technical Information



British Standard Paving

xxxxxxx - product code in **bold**: in stock (full packs only)
xxxxxxx - product code in regular: availability on request


	Product Description (mm)	Product Weight (kg)	Quantity (per pack)	Pack Weight (kg)	Product Ordering Code			
					Natural	Charcoal	Buff	Red
BRITISH STANDARD	600x450x50	31	20	620	BSPA50GY	BSPA50CL	BSPA50BF	BSPA50RD
	600x450x63	40	15	600	BSPA63GY	BSPA63CL	BSPA63BF	BSPA63RD
	600x600x50	42	20	846	BSPB50GY	BSPB50CL	BSPB50BF	BSPB50RD
	600x600x63	53	15	800	BSPB63GY	BSPB63CL	BSPB63BF	BSPB63RD
	600x600x70	59	14	826	BSPB70GY	BSPB70CL	BSPB70BF	BSPB70RD
	750x600x50	53	20	1055	BSPC50GY	BSPC50CL	BSPC50BF	BSPC50RD
	750x600x63	67	15	999	BSPC63GY	BSPC63CL	BSPC63BF	BSPC63RD
	900x600x50	63	20	1266	BSPD50GY	BSPD50CL	BSPD50BF	BSPD50RD
	900x600x63	80	15	1199	BSPD63GY	BSPD63CL	BSPD63BF	BSPD63RD
	450x450x50	24	40	952	BSP E50GY	BSP E50CL	BSP E50BF	BSP E50RD
	450x450x63	30	30	899	BSPE63GY	BSPE63CL	BSPE63BF	BSPE63RD
	450x450x70	33	28	933	BSPE70GY	BSPE70CL	BSPE70BF	BSPE70RD
	400x400x50	19	40	760	BSPF50GY	BSPF50CL	BSPF50BF	BSPF50RD
	400x400x65	22	28	628	BSPF65GY	BSPF65CL	BSPF65BF	BSPF65RD
	400x400x70	26	28	737	BSPF70GY	BSPF70CL	BSPF70BF	BSPF70RD
	300x300x50	11	39	423	BSPG50GY	BSPG50CL	BSPG50BF	BSPG50RD
	300x300x60	13	30	380	BSPG60GY	BSPG60CL	BSPG60BF	BSPG60RD
	600x300x50	21	20	420	BSPH50GY	BSPH50CL	BSPH50BF	BSPH50RD
	600x300x63	27	15	400	BSPH63GY	BSPH63CL	BSPH63BF	BSPH63RD
	600x300x70	30	14	415	BSPH70GY	BSPH70CL	BSPH70BF	BSPH70RD
BS CHAMFERED	600x600x50	42	20	840	BSPB50CHAMGY	BSPB50CHAMCL	BSPB50CHAMBF	BSPB50CHAMRD
	450x450x50	24	40	952	BSP E50CHAMGY	BSP E50CHAMCL	BSP E50CHAMBF	BSP E50CHAMRD
	450x450x63	30	30	900	BSPE63CHAMGY	BSPE63CHAMCL	BSPE63CHAMBF	BSPE63CHAMRD
	450x450x65	30	30	900	BSPE65CHAMGY	BSPE65CHAMCL	BSPE65CHAMBF	BSPE65CHAMRD
	450x450x70	33	28	934	BSPE70CHAMGY	BSPE70CHAMCL	BSPE70CHAMBF	BSPE70CHAMRD
	400x400x50	19	40	760	BSPF50CHAMGY	BSPF50CHAMCL	BSPF50CHAMBF	BSPF50CHAMRD
	400x400x60	23	30	677	BSPF60CHAMGY	BSPF60CHAMCL	BSPF60CHAMBF	BSPF60CHAMRD
	400x400x65	22	28	628	BSPF65CHAMGY	BSPF65CHAMCL	BSPF65CHAMBF	BSPF65CHAMRD
	400x400x70	26	28	737	BSPF70CHAMGY	BSPF70CHAMCL	BSPF70CHAMBF	BSPF70CHAMRD
	300x300x50	11	40	440	BSPG50CHAMGY	BSPG50CHAMCL	BSPG50CHAMBF	BSPG50CHAMRD
BS FIBRE-REINFORCED	900x600x63	80	15	1199	BSPD63FRGY	BSPD63FRCL	BSPD63FRBF	BSPD63FRRD
	600x600x63	53	15	795	BSPB63FRGY	BSPB63FRCL	BSPB63FRBF	BSPB63FRRD
	750x600x63	67	15	999	BSPC63FRGY	BSPC63FRCL	BSPC63FRBF	BSPC63FRRD

While every effort is made to ensure that the colours of our products do not vary, complete colour consistency cannot always be guaranteed.




Hazard Warning Paving

For use in identifying potential hazards for pedestrians, warning them to proceed with care.




Blister Paving

For use in identifying a crossing place for the visually impaired. Guidelines exist concerning the use, layout and colour of Blister Paving.




Guidance Paving

For use in identifying a safe route for pedestrians to travel and help avoid any obstacles and hazards.




Platform Edge Warning (offset blister)

To denote the proximity of a railway platform edge. It can be used on either surface or underground railway systems.




Platform Edge Warning (lozenge)

To be used at street level to denote the existence of the edge of a platform for light transport systems (e.g. trams and monorails).



Cycleway Paving

For use at the beginning of a shared pedestrian /cycle route to denote the path that each should follow.



xxxxxxx - product code in **bold**: in stock (full packs only)
xxxxxxx - product code in regular: availability on request

	Product Description (mm)	Product Weight (kg)	Quantity (per pack)	Pack Weight (kg)	Product Ordering Code			
BLISTER					Buff	Red	Natural	Charcoal
	450x450x50	24	36	853	TBPE50BF	TBPE50RD	TBPE50GY	
	TBPE50CL							
	450x450x63	30	30	900	TBPE63BF	TBPE63RD	TBPE63GY	TBPE63CL
	450x450x70	33	26	866	TBPE70BF	TBPE70RD	TBPE70GY	TBPE70CL
	400x400x50	19	36	677	TBPF50BF	TBPF50RD	TBPF50GY	TBPF50CL
CYCLEWAY	400x400x65	24	28	684	TBPF65BF	TBPF65RD	TBPF65GY	TBPF65CL
	400x400x50	19	36	677	TCPF50BF	TCPF50RD	TCPF50GY	TCPF50CL
DIRECTION	480x480x50	29	36	878	TBPE50BF	TBPE50RD	TBPE50GY	TBPE50CL
HAZARD / CORDUROY	400x400x50	19	36	677	THPF50BF	THPF50RD	THPF50GY	THPF50CL
	400x400x65	24	28	684	THPF65BF	THPF65RD	THPF65GY	THPF65CL
LOZENGE	400x400x50	19	36	677	TLPF50BF	TLPF50RD	TLPF50GY	TLPF50CL
PLATFORM	400x400x50	19	36	677	TPPF50BF	TPPF50RD	TPPF50GY	TPPF50CL
BARFACED	600x600x50	42	20	846	BARFB50BF	BARFB50RD	BARFB50GY	BARFB50CL
	600x600x63	53	15	800	BARFB63BF	BARFB63RD	BARFB63GY	BARFB63CL
	900x600x50	63	20	1269	BARFD50BF	BARFD50RD	BARFD50GY	BARFD50CL
	900x600x63	80	15	1199	BARFD63BF	BARFD63RD	BARFD63GY	BARFD63CL

While every effort is made to ensure that the colours of our products do not vary, complete colour consistency cannot always be guaranteed.

Other Products

RPC offers a wide range of decorative paving flags and kerbs that are available in a variety of different colours and finishes:


Solo



North Wales, Solo buff and charcoal paving




Chester, Solo kerb



Brecon Black Fleck




Liverpool, Brecon Black Fleck paving and kerb



Saron



Colwyn Bay, Saron paving and kerb




Cambrian Eco



Runcorn, Cambrian Eco paving




North Wales, Cambrian Textured Charcoal Eco kerb



We constantly develop our product range to customer requirements. If you can't find the size or colour of your desired product, please contact RPC Ltd Sales Office for further assistance on: 01824 702 493





www.rpcltd.co.uk

RPC (Ruthin Precast Concrete) Ltd.
Quarryfields
Ruthin, Denbighshire
LL15 2UG
Wales, UK

Enquiries/Orders: 01824 702 493
E-mail: enquiries@rpcpaving.co.uk

